

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office APR 19 2002

Returned to applicant for correction _____

Corrected application filed _____

Map filed APR 19 2002

The applicant **Wade McLaughlin and Patricia McLaughlin**, hereby make application for permission to change the **place of use and point of diversion of a portion** of water heretofore appropriated under **Permit 24582, Certificate 7673**

1. The source of water is **underground source**
2. The amount of water to be changed **One Acre Foot, 0.0022 C.F.S.**
3. The water to be used for **quasi-municipal purposes**
4. The water heretofore permitted for **quasi-municipal purposes**
5. The water is to be diverted at the following point **within the southwest quarter (SW $\frac{1}{4}$) of the southwest quarter (SW $\frac{1}{4}$) of Sec 34, T19S, R60E, MDM, or at a point from which the southwest corner of said Sec 34, T19S, R60E, MDM bears south 20°37'00" west a distance of 1129.0 feet.**
6. The existing permitted point of diversion is located within **the northwest quarter (NW $\frac{1}{4}$) of the northwest quarter (NW $\frac{1}{4}$) of Sec 10, T21S, R61E, MDM, or at a point from which the northwest corner of said Sec 10, T21S, R61E, MDM bears North 15°40'00" west a distance of 917.0 feet.**
7. Proposed place of use **Lot 2 of Block 12, per Book 4, Page 88 of Plats, being a portion of the southwest quarter (SW $\frac{1}{4}$) of the southwest quarter (SW $\frac{1}{4}$) of Sec 34, T19S, R60E, MDM, APN 125-34-410-012**
8. Existing place of use **a portion of the northeast quarter (NE $\frac{1}{4}$) of the northeast quarter (NE $\frac{1}{4}$) of Sec 9 and a portion of the northwest quarter (NW $\frac{1}{4}$) of the northwest quarter (NW $\frac{1}{4}$) of Sec 10, T21S, R61E, MDM.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **well is existing, install totalizing meter.**
12. Estimated cost of works **\$1,000 ±**
13. Estimated time required to construct works **none, well is 8" steel cased, 300 ft. deep, 3Hp submersible pump and two bladder tanks.**
14. Estimated time required to complete the application of water to beneficial use **3 years**
15. Remarks: **Water to be used for existing residence, out buildings and landscaping.**

By **s/Wade McLaughlin**
Fulstone Enterprises, Inc. - Agent
940 S. Martin L. King Blvd.
Las Vegas, NV 89106

Compared cmf/ cam lb/sam

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 24582, Certificate 7673 is issued subject to the terms and conditions imposed in said Permit 24582, Certificate 7673 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 68718 is granted to provide water service to one lot described by Clark County Assessor's Parcel Number (APN) 125-34-410-012

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount, which can be applied to beneficial use, and not to exceed 0.0022 cubic feet per second, but not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 2, 2004

Proof of completion of work shall be filed on or before:

May 2, 2004

Water must be placed to beneficial use on or before:

April 2, 2006

Proof of the application of water to beneficial use shall be filed on or before:

May 2, 2006


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 2nd day of April, A.D. 2003


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____